

"കാരുക്ഷ്യമായ ഡയറി സംഭരണ വിതരണ ശൃംഗലക്ക്
ഡയറിടെക് സൊല്യൂഷൻസ്
നൂതനമായ പരിഹാരങ്ങൾ നൽകുന്നു"



"UnDisputed Leadership in Dairy Automation"



Dairy Tech[®]
Solutions Pvt. Ltd.

TP X 476, Love Land, Near Panchayath Hall,
Bypass By Road, Thirupuram, Neyyattinkara,
Trivandrum, Kerala - 69513 **Ph: 0471-2261151,**
9961011151, 9539011151, 8594011151, 9207011151
75930 11151 Email: dairytechsolutions@gmail.com



GeM
Government
e Marketplace



www.dairytechsolutions.com

Follow us



MILKING MACHINES

DeLaval
Bucket
Milking
Machines
Value for money

Specification	Milking Capacity (Cows/hour)
BMS 1 - DVP 170, 1 Cluster, 1 Bucket	8
BM 2 - DVP 340, 2 Clusters, 2 Buckets	16
BMS 4 - DVP 340, 4 Clusters, 4 Buckets	32



- Reduced dependency on labour
- Possible to increase herd size easily
- Increased business profitability and productivity
- Completely untouched, high quality clean milk
- Convenient for milker
- Less manpower for same work



BOWL SERVICE KIT



PULSATOR



CLUSTER SET



MILKING MACHINE
CAN SET



CAN GASKET



CLEANING LIQUID




BOWL COMPLETE




RUBBER TUBE



TWIN TUBE




MILK TUBE BRUSH



LINER BRUCH



LINER



SHORT PLUS TUBE



CAN LID




Dairy Tech
Solutions Pvt. Ltd.


TP X 476, Love Land, Near Panchayath Hall,
Bypass By Road, Thirupuram, Neyyattinkara,
Trivandrum, Kerala - 69513 Ph: 0471-2261151,
9961011151, 9539011151, 8594011151, 9207011151
75930 11151 Email: dairytechsolutions@gmail.com

Features


- Hard and resistant to wear and tear
- Offers good insulation from hot or cold floors
- Non porous and hence will not absorb moisture
- Anti skid surface and grooved bottom designs ensure safety and drainage
- Effective drainage of water help easy cleaning




HONEY COMP TYPE



BUBBLE TYPE



DIMOND TYPE



HAMMER TOP TYPE

BEST QUALITY RUBBER MATES

Comfort for your cows starts here



PVC SPADE WITH HANDLE

Specifications of Cow mats

- Provides comfort and protection to Cows
- Hygienic & Anti Bacterial Cow mats
- Reduce Injury
- Slip Resistant Surface
- Increases Milk Yield and Productivity
- Light Weight
- Shock Absorber
- Easy to Clean

BEST QUALITY CHAFF CUTTER

CCM -102 CHAFF CUTTER 4HP



Cutter capacity: 2800kg/hr
Gross weight with motor: 83kg
Motor weight: 22.260kg (pure copper winding)
Power: 2.6kw/single phase
Motor RPM: 2800
Spindle RPM: 1400
Blade: 5
With gear
Belt type: conveyer belt

CCM -101 CHAFF CUTTER 3.5HP



Cutter capacity: 2000kg/hr
Gross weight with motor: 72kg
Motor weight: 22.260kg (pure copper winding)
Power: 2.2kw/single phase
Motor RPM: 2800
Spindle RPM: 1400
Blade: 5
With gear

BEST QUALITY PRESSURE WASHER



Specifications

Pressure - 110-150 BarFlow

- Rate - 6L/min
- Hose Length 5-20 Meter
- Power - 1800 watt
- Weight - 15-30 Kg
- Motor - 3HP
- Voltage - 240v



Dairy Tech[®]
Solutions Pvt. Ltd.

TP X 476, Love Land, Near Panchayath Hall,
Bypass By Road, Thirupuram, Neyyattinkara,
Trivandrum, Kerala - 69513 Ph: **0471-2261151**,
9961011151, 9539011151, 8594011151, 9207011151
75930 11151 Email: dairytechsolutions@gmail.com



MILK ANALYZER

MA-915 ABS

- GERMAN DESIGN
- MEASURING TIME 25 SEC
- SUPER SILENT MOTOR TECHNOLOGY
- 2×20 LCD WITH GREEN BACK LIGHT
- HIGH PRECISION FOR HIGH FAT MILK
- MANUAL & AUTO CLEANING
- LIGHT WHEIGHT & COMPACT BODY
- 7 PARAMETERS (FAT, SNF, ADDED WATER, CLR, LACTOSE, PROTIEN, SALT)
- SELECTABLE DATA FORMAT FOR ALL DAIRY SOFTWARE



MILKOLITE

- MEASURING TIME 35 SEC
- SUPER SILENT MOTOR TECHNOLOGY
- 2×20 LCD WITH BLUE BACK LIGHT
- HIGH PRECISION FOR HIGH FAT MILK
- MANUAL & AUTO CLEANING
- LIGHT WHEIGHT & COMPACT BODY
- 7 PARAMETERS (FAT, SNF, ADDED WATER, CLR, LACTOSE, PROTIEN, SALT)
- ELECTABLE DATA FORMAT FOR ALL DAIRY SOFTWARE
- COMPATIBLE WITH SOLAR POWER

MA 815 ABS

- GERMAN DESIGN
- MEASURING TIME 35 SEC
- SUPER SILENT MOTOR TECHNOLOGY
- 2×20 LCD WITH GREEN BACK LIGHT
- HIGH PRECISION FOR HIGH FAT MILK
- MANUAL & AUTO CLEANING
- LIGHT WHEIGHT & COMPACT BODY
- 7 PARAMETERS (FAT, SNF, ADDED WATER, CLR, LACTOSE, PROTIEN, SALT)
- SELECTABLE DATA FORMAT FOR ALL DAIRY SOFTWARE



EKOMILK ULTRA

- MEASURING TIME 35 SEC
- SUPER SILENT MOTOR TECHNOLOGY
- 2×20 LCD WITH YELLOW BACK LIGHT
- HIGH PRECISION FOR HIGH FAT MILK
- MANUAL & AUTO CLEANING
- LIGHT WHEIGHT & COMPACT BODY
- 4 PARAMETERS (FAT, SNF, ADDED WATER, CLR,)



Dairy Tech
Solutions Pvt. Ltd.

www.dairytechsolutions.com

MILK ANALYZER

With Stirrer, DPU & Printer

IMA-815

- GRAPHIC LCD MODULE
- MEASURING TIME 35 SEC
- HIGH PRECISION FOR HIGH FAT MILK
- MANUAL & AUTO CLEANING
- 7 PARAMETERS (FAT, SNF, ADDED WATER, CLR, LACTOSE, PROTIEN, SALT)
- INBUILT BATTERY BACK UP
- SUTABLE FOR ALL DAIRY SCALE
- SUITABLE FOR ALL REMOTE DISPLAY
- USB KEY BOARD SUPPORT



SANCHAY

- 16×2 JUMBO LCD
- MEASURING TIME 35 SEC
- HIGH PRECISION FOR HIGH FAT MILK
- MANUAL & AUTO CLEANING
- 7 PARAMETERS (FAT, SNF, ADDED WATER, CLR, LACTOSE, PROTIEN, SALT)
- INBUILT BATTERY BACK UP
- SUTABLE FOR ALL DAIRY SCALE
- SUITABLE FOR ALL REMOTE DISPLAY
- USB KEY BOARD SUPPORT
- COMPATIBLE WITH SOLAR POWER



MILK ANALYZER- With Stirrer

MA-815BS

- MEASURING TIME 35 SEC
- SUPER SILENT MOTOR TECHNOLOGY
- 2×20 LCD WITH GREEN BACK LIGHT
- HIGH PRECISION FOR HIGH FAT MILK
- MANUAL & AUTO CLEANING
- LIGHT WHEIGHT & COMPACT BODY
- 7 PARAMETERS (FAT, SNF, ADDED WATER, CLR, LACTOSE, PROTIEN, SALT)
- SELECTABLE DATA FORMAT FOR ALL DAIRY SOFTWARE
- IN BUILT BATTERY BACKUP
- IN BUILT STIRRER



MILKOLITE COMBO

- MEASURING TIME 35 SEC
- SUPER SILENT MOTOR TECHNOLOGY
- 16×2 JUMBO LCD
- HIGH PRECISION FOR HIGH FAT MILK
- MANUAL & AUTO CLEANING
- LIGHT WHEIGHT & COMPACT BODY
- 7 PARAMETERS (FAT, SNF, ADDED WATER, CLR, LACTOSE, PROTIEN, SALT)
- SELECTABLE DATA FORMAT FOR ALL DAIRY SOFTWARE
- IN BUILT BATTERY BACKUP
- IN BUILT STIRRER



WEIGHING MACHINES



EWS 200 KG



EWS 300 KG



EWS 30 KG - 80KG

MAIN FEATURES :

- SS Heavy duty sturdy frame structure
- Over load protection Stoppers (Transport Lock)
- Corner over load protection (safety Lock)
- Adjustable, shock resistant platform legs
- ABS / HIPS Moulded Display Indicator
- High Bright RED / GREEN LED display
- Weather & water proof tactile key pad
- In Built Power Saving Function
- Kg. / Ltr. Conversion option for Dairy industries use
- Dual / Triple accuracy is available
- Power Supply : 230 V AC $\pm 10\%$, 50 Hz



DAIRY SCALE

REMOTE DISPLAY

BEST QUALITY MILK CANS



ALUMINUM MILK CAN

Litres	40 L	30 L	20 L	15 L	10 L
Height	591 $\pm$ 4	512 $\pm$ 4	447 $\pm$ 4	440 $\pm$ 4	355 $\pm$ 4
Depth	575 $\pm$ 3	496 $\pm$ 3	431 $\pm$ 3	412 $\pm$ 3	335 $\pm$ 3
Inside dial	340 $\pm$ 3	320 $\pm$ 3	280 $\pm$ 3	240 $\pm$ 3	220 $\pm$ 3
Mouth	200 $\pm$ 5	200 $\pm$ 5	200 $\pm$ 5	150 $\pm$ 5	150 $\pm$ 5
Dia of Bottom Bend	352 $\pm$ 3	332 $\pm$ 3	292 $\pm$ 3	257 $\pm$ 3	235 $\pm$ 3
Wall Thickness	2.00	2.00	1.60	1.50	1.50
Bottom Thickness	3.00	3.00	2.50	1.80	1.80
Shoulder Thickness	2.50	2.50	2.50	1.80	1.80
Weight in Kg (+5%)	6.5	5.9	4	3.3	2.2



STAINLESS STEEL MILK CAN

CAN ACCESSORIES



STEEL VESSELS



STEEL MILK STRINER



ALUMINIUM CAN LID



STEEL CAN LID



PLASTIC MILK STRINER

AUTOMATIC MILK COLLECTION UNIT



SPECIFICATION OF AMCU

- Ensures fast and accurate milk collection data
- Interoperability with any make of Milk Analyser, Weighing scale and Printer
- Real-time actionable SMS
- Data storage on Micro SD Card with back-up provisions
- Real-time monitoring, instant analysis, and advanced reports
- Being a 100% indigenous product, service support is available across Kerala

AMCU PARTS



COMPUTER



THERMAL PRINTER



MULTIFUNCTION PRINTER



BATTERY



MILK ANALYZER



EWS



DIGITAL FARMES DISPLAY



UPS



DPU WITH LCD



DPU WITH MICRO CONTROLLER



USB HUB



AI FARMERS DISPLAY



COW PREGNANCY KIT



AMUL MILK REPALACER



FLY CATCHER



TEETH DIPPING CUP



EAR TAG



WATER BOWL



THERMAL PAPER



DAIRY FAN



FEEDING BOTTLE



SILAGE BAG



CATTLE WASHING BRUSH



LAMB FEEDING BUCKET



SS & MS STIRRER



EAR TAG APPLICATER



CLEANING SOLUTIONS



ANTI KICK BAR



CENTRIFUGAL MACHINE



WATER BATH



GHEE MAKER



CREAM SEPERATOR



AMT



SS CHORP



SS LITER SET



CALCIUM SUPPLEMENT



PALLET



ABS WHEEL BARROW



4 WHEEL BARROW



SPADE WITH HANDLE



CURRENCY COUNTING MACHINE



SEALING MACHINE



Dairy Tech[®]
Solutions Pvt. Ltd.

TP X 476, Love Land, Near Panchayath Hall,
Bypass By Road, Thirupuram, Neyyattinkara,
Trivandrum, Kerala - 69513 **Ph: 0471-2261151,**
9961011151, 9539011151, 8594011151, 9207011151
75930 11151 Email: dairytechsolutions@gmail.com

www.dairytechsolutions.com

Follow us  